L Number	Hits	Search Text	DB	Time stamp
1	0	workstation same (configu\$5 near3 pend\$4) same server	USPAT; EPO; JPO; DERWENT;	2004/09/02 13:52
7			IBM TDB	
2	5	(configu\$5 near3 pend\$4) same server same device	USPAT; EPO; JPO;	2004/09/02 13:56
		device	DERWENT; IBM TDB	, , ,
3	0	server near5 (configu\$5 near4 pend\$4)	USPAT;	2004/09/02 14:00
	Ş	near5 (message or indica\$5 or signal)	EPO; JPO; DERWENT; IBM TDB	
4	0	server near5 (configu\$5 near4 (pend\$4 or	USPĀT;	2004/09/02 14:02
	, -	awaiting)) near5 (message or indica\$5 or signal)	EPO; JPO; DERWENT; IBM TDB	
5	23	server near5 (request\$5 near4 (pend\$4 or	USPAT;	2004/09/02 14:14
	23	awaiting)) near5 (message or indica\$5 or	EPO; JPO; DERWENT;	
		signal)	IBM_TDB	
6	29	server near5 (pend\$4 or awaiting) near4	USPAT;	2004/09/02 15:32
		(request or task) near4 (queue or fifo or buffer or list)	EPO; JPO; DERWENT;	
			IBM_TDB	0004/00/00 15 15
7	2	("6754885").PN.	USPAT; EPO; JPO;	2004/09/02 15:15
			DERWENT;	
_	_	(UICTEADOSII) DN) and //pandé4 or	IBM_TDB USPAT;	2004/09/02 15:15
8	1	(("6754885").PN.) and ((pend\$4 or awaiting) near4 (request or task))	EPO; JPO;	2004/05/02 13:13
			DERWENT;	
9	0	 server near5 (messag\$4 or indica\$5 or	IBM_TDB USPAT;	2004/09/02 15:34
9		signal\$4) near5 (pend\$4 or await\$3) near4	EPO; JPO;	
		(request or task) near4 (node)	DERWENT; IBM TDB	
10	0	server near5 (messag\$4 or indica\$5 or	USPAT:	2004/09/02 15:39
		signal\$4) near5 (pend\$4 or await\$3) near4 (request or task) near4 (node or device or	EPO; JPO; DERWENT;	
		peripheral)	IBM_TDB	
11	26	server near5 (pend\$4 or await\$3) near4	USPAT; EPO; JPO;	2004/09/02 15:36
		(request or task) near4 (node or device or peripheral)	DERWENT;	,
			IBM_TDB	2004/09/02 15:48
12	8	server with (messag\$4 or indica\$5 or signal\$4) with (pend\$4 or await\$3) with	USPAT; EPO; JPO;	2004/09/02 13:48
		(request or task) with (node or device or	DERWENT;	·
1.2	6	peripheral) server near5 (messag\$4 or indica\$5 or	IBM TDB USPAT;	2004/09/02 15:45
13	0	signal\$4) near5 (pend\$4 or await\$3) near4	EPO; JPO;	,
		(request or task) near4 (client)	DERWENT; IBM TDB	
14	145	(server or host) with (messag\$4 or	USPĀT;	2004/09/02 15:50
		indica\$5 or signal\$4) with (pend\$4 or	EPO; JPO; DERWENT;	
		await\$3 or new or next) with (request or task) with (node or device or peripheral)	IBM TDB	
15	26	(server or host) with (messag\$4 or	USPĀT;	2004/09/02 16:08
		indica\$5 or signal\$4) with (pend\$4 or await\$3) with (request or task) with (node	EPO; JPO; DERWENT;	
		or device or peripheral)	IBM_TDB	2004/00/02 16 11
16	1429	(request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4	USPAT; EPO; JPO;	2004/09/02 16:41
		(pend\$4 or await\$3)	DERWENT;	,
1.7	600		<pre>IBM_TDB USPAT;</pre>	2004/09/02 16:31
17	688	(messag\$4 or indica\$5 or signal\$4) near4	EPO; JPO;	10.51
		(nend\$4 or await\$3)) and ((request or	DERWENT; IBM TDB	·
		task or configu\$5) near3 (fifo or queue or buffer or list))	TIDEL_TOB	

				2001/00/00 16 21
18	469	(((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or	USPAT; EPO; JPO; DERWENT;	2004/09/02 16:31
		task or configu\$5) near3 (fifo or queue or	IBM_TDB	
19	89	buffer or list))) and network ((((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or task or configu\$5) near3 (fifo or queue or	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 16:32
20	73	buffer or list))) and network) and workstation ((((request or task or configu\$5) near4 (messag\$4 or indica\$5 or signal\$4) near4 (pend\$4 or await\$3)) and ((request or	USPAT; EPO; JPO; DERWENT;	2004/09/02 16:32
21	862	task or configu\$5) near3 (fifo or queue or buffer or list))) and network) and workstation) and server (pend\$4) near3 (request or task or	IBM_TDB USPAT;	2004/09/02 16:42
	002	configu\$5) near3 (messag\$4 or indica\$5 or signal\$4)	EPO; JPO; DERWENT; IBM TDB	
22	853	(pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:43
23	66	<pre>(send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 16:43
24	13	((send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)) and server and network	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 16:48
25	17	((send\$4 or transmit\$4 or transfer\$4) near3 (pend\$4) near3 (request or task) near3 (messag\$4 or indica\$5 or signal\$4)) and server	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 16:48
30	161	(http near3 get) and (http near3 post)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 16:59
31	52	((http near3 get) and (http near3 post)) and (pending)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 16:59
_	73	workstation same (configu\$5 near3 server) same device	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/09/02 13:52
_	20	(workstation same (configu\$5 near3 server) same device) and (configu\$6 near2 data)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/31 12:41
_	246	<pre>(device or peripheral or node) near5 (request\$4 or demand\$4) near5 (configur\$7 near2 (data or information))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/08/31 12:50
_	12	((device or peripheral or node) near5 (request\$4 or demand\$4) near5 (configur\$7 near2 (data or information))) and (server near4 (transmit\$4 or send\$4 or transfer\$4) near4 ((configur\$7 near2 (data or	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:22
	4194	<pre>information)))) configur\$7 with remote with (node or device or peripheral or element)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:53

	•			
	82	(configur\$7 with remote with (node or	USPAT;	2004/08/31 13:51
		device or peripheral or element)) and	EPO; JPO;	
		((node or device or peripheral or element)	DERWENT;	
		near5 (request\$4 or command\$4 or demand\$4)	IBM_TDB	
		near5 (configur\$7 near2 (data or	,	
		information)))	tionam.	2004/08/31 15:24
_ `	60942	remot\$4 with (control\$4) with (node or	USPAT; EPO; JPO;	2004/08/31 13:24
	~	device or peripheral or element)	DERWENT;	
. •	*		IBM TDB	
	641	(remot\$4 with (control\$4) with (node or	USPAT;	2004/08/31 15:01
_	041	device or peripheral or element)) and	EPO; JPO;	
		(server with (control near3 (command or	DERWENT;	
		data or information)))	IBM TDB	
_	289	((remot\$4 with (control\$4) with (node or	USPAT;	2004/08/31 13:57
		device or peripheral or element)) and	EPO; JPO;	,
		(server with (control near3 (command or	DERWENT;	
		data or information)))) and (workstation	IBM_TDB	
		or host)	HCDAM.	2004/09/21 12:50
_	13	((remot\$4 with (control\$4) with (node or	USPAT; EPO; JPO;	2004/08/31 13:58
		device or peripheral or element)) and	DERWENT;	
		(server with (control near3 (command or data or information)))) and (http near2	IBM TDB	
		(get or post))	1011_100	
_	171	((remot\$4 with (control\$4) with (node or	USPAT;	2004/08/31 14:51
	, 1/1	device or peripheral or element)) and	EPO; JPO;	
		(server with (control near3 (command or	DERWENT;	
	İ	data or information)))) and (workstation)	IBM_TDB	_
-	16	((remot\$4 with (control\$4) with (node or	USPAT;	2004/08/31 15:25
		device or peripheral or element)) and	EPO; JPO;	
		(server with (control near3 (command or	DERWENT;	
		data or information)))) and (heartbeat or	IBM_TDB	
	3004	(heart near beat)) (workstation or host) and server and	USPAT;	2004/08/31 15:24
_	3084	(sensor or actuator)	EPO; JPO;	2001,00,31 13.21
		(Sensor of accuator)	DERWENT;	
		•	IBM TDB	
_	2282	((workstation or host) and server and	USPĀT;	2004/08/31 15:23
		(sensor or actuator)) and ((configu\$7 or	EPO; JPO;	
		control\$4 or task or command) near2 (data	DERWENT;	
		or information))	IBM_TDB	0004/00/21 15 05
_	949	(((workstation or host) and server and	USPAT;	2004/08/31 15:25
		(sensor or actuator)) and ((configu\$7 or	EPO; JPO; DERWENT;	
		control\$4 or task or command) near2 (data or information))) and (remot\$4 with	IBM TDB	
		(control\$4 or operation))	1201-130	•
_	790	(((workstation or host) and server and	USPAT;	2004/08/31 15:25
	, , , ,	(sensor or actuator)) and ((configu\$7 or	EPO; JPO;	
		control\$4 or task or command) near2 (data	DERWENT;	
		or information))) and (heartbeat or (heart	IBM_TDB	
	,	near beat) or alive or live)	Hanza	2004/00/01 11 12
_	405	((((workstation or host) and server and	USPAT;	2004/09/01 11:12
		(sensor or actuator)) and ((configu\$7 or	EPO; JPO;	•
		control\$4 or task or command) near2 (data	DERWENT; IBM TDB	
		or information))) and (remot\$4 with (control\$4 or operation))) and	1BM_1BB	
		((((workstation or host) and server and		
		(sensor or actuator)) and ((configu\$7 or		
		control\$4 or task or command) near2 (data		
		or information))) and (heartbeat or (heart		
		near beat) or alive or live))		
-	30	((((workstation or host) and server and	USPAT;	2004/09/01 11:09
		(sensor or actuator)) and ((configu\$7 or	EPO; JPO;	
		control\$4 or task or command) near2 (data	DERWENT;	
		or information))) and (remot\$4 with	IBM_TDB	
		((control\$4 or operation))) and ((((workstation or host) and server and		
		((((workstation or host) and server and (sensor or actuator)) and ((configu\$7 or		
		control\$4 or task or command) near2 (data		,
•	-	or information))) and (heartbeat or (heart		-
		near beat)))		
1	t			

132	1:10 1:15
Configus for controls or command) Configus for command) Configus for controls or command) Configus for controls for command for co	1:15
S5	1:15
1	1:15
and workstation and server and device bero; JPO; Derwent; IBM TDB USPAT; Candado or information) of (workstation adj5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information) of (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) - 6 (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) - 0 (((configu\$7 or control\$4 or task or command) adj5 server) - 0 (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) EPO; JPO; with workstation - 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and ((node or device) near4 (request or ask) near4 (configu\$7 or ask) near4 (configu\$7 or ask) near4 (configu\$7 or ask) near4 (configu\$7 with netwok\$3 (device or node)) same server) and ((node or device) near4 (request or ask) near4 (configu\$7 mark (data or IBM TDB USPAT; lbm TDB U	1:15
246	
USPĀT; Condigus Control Cont	
(send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command)) ((sendsor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information)) ((workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) ((((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)	
message)) same (server near4 (configu\$7 or control\$4 or task or command)) (sensor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information)) 0 (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) uspAT; server) 6 (workstation adj5 (send\$4 or transmit\$4) udj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) udj5 (configu\$7 or control\$4 or task or command) adj5 server) 1	1:43
control\$4 or task or command) ((sensor or actuator or device) near5 (send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information)) ((workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (server) ((workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (server) (((configu\$7 or control\$4 or task or command) adj5 server) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$6 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$7 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$8 or task or command) near4 server near4 pend\$8,0 ((configu\$7	1:43
1	1:43
(send\$4 or transmit\$4) near4 (request or message)) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information)) (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) before the property of	1:43
message) same (server near4 (configu\$7 or control\$4 or task or command) near2 (data or information)	•
control\$4 or task or command) near2 (data or information) (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (data or information) adj5 DERWENT; lBM_TDB (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) DERWENT; lBM_TDB (serwent) with workstation ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) DERWENT; lBM_TDB (serwent) DERWENT; lBM_TDB (serwent) lBM_TDB (servent) lBM_TD	
or information)) (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) 0 (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) with workstation 57 ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 0 (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 (data or information) adj5 server) - 6 (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) - 0 (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) per ber ber ber ber ber ber ber ber ber b	
adj5 (configu\$7 or control\$4 or task or command) adj5 (data or information) adj5 perwent; server) 6 (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) 10 (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) perwent; lbm TDB uspAT; command) near4 server near4 pend\$4) perwent; lbm TDB uspAT; l	2:08
command) adj5 (data or information) adj5 server) (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) uspĀT; ((configu\$7 uith netwok\$3 ((device or node)) same server ((configu\$7 or control\$4 or task or command) uspĀT; ((device or node)) same server ((configu\$7 uith netwok\$3 ((device or node)) same server) and ((node or device) near4 (request or ask) near4 configu\$7 near4 (data or (configu\$7 near4 (data or	
server) (workstation adj5 (send\$4 or transmit\$4) adj5 (configu\$7 or control\$4 or task or command) adj5 server) (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) perwent; iBM TDB ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) perwent; iBM TDB ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) perwent; iBM TDB ((spar*) por	
adj5 (configu\$7 or control\$4 or task or command) adj5 server) O (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) with workstation O ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) perwent; IBM_TDB USPAT; IBM_TDB	
adj5 (configu\$7 or control\$4 or task or command) adj5 server) DERWENT; IBM TDB USPĀT; EPO; JPO; DERWENT; IBM_TDB USPĀT; EPO; JPO; With workstation Command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) EPO; JPO; DERWENT; IBM_TDB USPĀT; DERWENT; IBM_TDB USPĀT; EPO; JPO; DERWENT; IBM_TDB USPĀT; IBM_TDB USPĀT; IBM_TDB USPĀT; IBM_TDB	2:58
- 0 (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) with workstation - 57 ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) command) near4 server near4 pend\$4) - 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server - 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and (device or node)) same server) and (node or device) near4 (request or ask) (near4 configu\$7 near4 (data or ibm_TDB) DERWENT; 1BM_TDB (JPO; DERWENT; 1BM_TDB) 2004/09/01 1	
- 0 (((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4)) with workstation 57 ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) command) near4 server near4 pend\$4) 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) 96 ((node or device) near4 (request or ask) (node or device) near4 (data or lbm_TDB) DERWENT; near4 configu\$7 near4 (data or lbm_TDB)	
command) near4 server near4 pend\$4)) with workstation 57 ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) - 58239 (remot\$4 with configu\$7 with netwok\$3	0.50
with workstation ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server ((remot\$4 with configu\$7 with netwok\$3 ((remot\$4 with	2:58
- 57 ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) - 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server - 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) 97 ((node or device) near4 (request or ask) (near4 configu\$7 near4 (data or) IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB 2004/09/01 1 EPO; JPO; DERWENT;	
- 57 ((configu\$7 or control\$4 or task or command) near4 server near4 pend\$4) - 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server - 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) - 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and (node or device) near4 (request or ask) (near4 configu\$7 near4 (data or lbm_TDB) - 1004/09/01 100000000000000000000000000000000	
command) near4 server near4 pend\$4) EPO; JPO; DERWENT; IBM TDB USPAT; Command) same server (device or node) same server (cremot\$4 with configu\$7 with netwok\$3 (cremot\$4 with configu\$7 (cremot\$4 with conf	3.04
DERWENT; IBM_TDB USPAT; (device or node)) same server 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and ((node or device) near4 (request or ask) near4 configu\$7 near4 (data or DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; DERWENT; IBM_TDB	J. 04
- 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server - 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and (node or device) near4 (request or ask) (near4 configu\$7 near4 (data or) IBM_TDB 2004/09/01 1 EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; IBM_TDB	
- 58239 (remot\$4 with configu\$7 with netwok\$3 (device or node)) same server 96 ((remot\$4 with configu\$7 with netwok\$3 (device or node)) same server) and (node or device) near4 (request or ask) (near4 configu\$7 near4 (data or) DERWENT; near4 configu\$7 near4 (data or) 2004/09/01 1 2004/09/01 1 2004/09/01 1	
(device or node)) same server EPO; JPO; DERWENT; IBM_TDB USPAT; (device or node)) same server) and ((node or device) near4 (request or ask) near4 configu\$7 near4 (data or EPO; JPO; DERWENT; IBM_TDB	3:27
- 96 ((remot\$4 with configu\$7 with netwok\$3 USPAT; (device or node)) same server) and (node or device) near4 (request or ask) DERWENT; near4 configu\$7 near4 (data or IBM_TDB	
- 96 ((remot\$4 with configu\$7 with netwok\$3 USPĀT; 2004/09/01 1 (device or node)) same server) and EPO; JPO; ((node or device) near4 (request or ask) DERWENT; near4 configu\$7 near4 (data or IBM_TDB	
(device or node)) same server) and EPO; JPO; ((node or device) near4 (request or ask) DERWENT; near4 configu\$7 near4 (data or IBM_TDB	
((node or device) near4 (request or ask) DERWENT; near4 configu\$7 near4 (data or IBM_TDB	3:07
near4 configu\$7 near4 (data or IBM_TDB	
- 56 ((remot\$4 with configu\$7 with netwok\$3 USPAT; 2004/09/01 1	3:19
(device or node)) same server) and EPO; JPO;	
((node or device) near3 (request or ask) DERWENT;	
near3 configu\$7 near3 (data or IBM_TDB	
information))	
- 50 ((remot\$4 with configu\$7 with netwok\$3 USPAT; 2004/09/01 1	3:24
(device or node)) same server) and EPO; JPO;	
((node or device) near3 (Retriev\$4) near3 DERWENT;	
configu\$7 near3 (data or information)) IBM TDB	2.51
- 91 (remot\$4 near4 control\$4 near4 (device or USPAT; 2004/09/01 1 node or peripheral or sensor or actuator)) EPO; JPO;	J: 34
node or peripheral or sensor or actuator)) EPO; JPO; and (server with (queue or buffer or fifo DERWENT;	
or list) with (request or task or command IBM_TDB	
or instruction))	
- 31 ((remot\$4 near4 control\$4 near4 (device or USPAT; 2004/09/01 1	
node or peripheral or sensor or actuator)) EPO; JPO;	4:06
and (server with (queue or buffer or fifo DERWENT;	4:06
or list) with (request or task or command IBM_TDB	4:06
or instruction))) and ((Host or	4:06
workstation or client) near4 (transfer\$5	4:06
or transmit\$5 or send\$4) near4 (request or	4:06
task or command or instruction))	4:06

-	5	((remot\$4 near4 control\$4 near4 (device or	USPAT;	2004/09/01 14:06
			EPO; JPO;	
		and (server with (queue or buffer or fifo	DERWENT;	
		or list) with (request or task or command	IBM TDB	
		or instruction))) and ((Host or	_	·
		workstation) near4 (transfer\$5 or		
		transmit\$5 or send\$4) near4 (request or		
		task or command or instruction))		